

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	120158	detection near2 sensor or (transceiver and receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 20:02
L2	18235	vehicle and headlight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 18:41
L3	548	l1 and l2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 19:02
L4	171	adjust\$3 with (illumination near2 output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 18:42
L5	2	l3 and l4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 18:43
L6	129	control\$4 same adjust\$3 and l4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 19:59
L7	96	l6 and @ad<="20021313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 19:02
L8	26863	headlight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 19:02
L9	597	l1 and l8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 19:02
L10	441	l9 and @ad<="20021313"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 19:02

L11	189	control\$4 same adjust\$3 and l10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 19:59
L12	111	l11 and (transceiver and receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 20:02

L11	189	control\$4 same adjust\$3 and l10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 19:59
L12	111	l11 and (transceiver and receiver)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/10/19 20:02